

Page 1 of 1

All amounts are calculated in domestic currency.

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
------------------------------------	-----------------------------	------------	--	-----------------------	-------------------------------	---------------------------	-------------------------	------------------------------	--	-------------------------------	----------

Total Received Quantity:
Total Qty to Inspect (PO U/M):
Total Reject Quantity:
Total Receipt Value:
Total Balance Due Quantity:



Castle Metals®

**PACKING SLIP/
CERTIFICATE OF CONFORMANCE**

A. M. Castle & Co.


Page 1 of 1

Shipment No: 2764220

Ship From: A. M. Castle & Co. TORONTO - CASTLE METALS 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7	Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROS.HAWKESBURY.O N.CAN 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 21-OCT-2015	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOULIN
			BOL No 2764220-2

Shipment Details

Order No 4099231	Line No 1	Item No 21246	Description 3.5000.RD.7075.T651.ALUMINUM.CF.144.0000 SPECIFICATIONS: AMS-QQ-A-225/9 Email P/s and certs to: clavoie@dartaero.com
Purchase Order No 30112	Part Number	Ordered Qty 86.00 IN	Invoice Qty 86.0000 IN
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX: HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS			

Delivery No. 120217723	Mill KAISER ALUMINUM	Heat Number 	Mech Id 1	PCS 1	Width (IN)	Length (IN) 86.0000	Shipped Qty(LBS) 83.4200
----------------------------------	-----------------------------------	---	---------------------	-----------------	-------------------	-------------------------------	------------------------------------

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law is prohibited.

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law is prohibited.

Reviewed by Authorized Castle Metals Representative: _____

Date: _____ Name: _____


OCT 21 2015



KAISER ALUMINUM

FABRICATED PRODUCTS

Tennalum
309 Industrial Drive
Jackson, TN 38301
731-423-2811



CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

Miscellaneous Notes

Made in USA

This material was melted and manufactured in the USA. Mercury is not a normal contaminant in aluminum alloys. Neither mercury nor any of its compounds were utilized by Kaiser Aluminum in the manufacture of this material. AS9100C:2009 The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

This material meets the requirements of (cold finished) T6 temper, AMS 4122L and QQ-A-225/92 (CANCELLED). NAFTA - YES. Material complies with FAR BAA (FAR 52.225-1, Buy American Act-Supplies), DFARS BAA (DFARS 252.225-7001 Buy American Act & Bal of Payments Prog), and FAR TAA (FAR 52.225-5 Trade Agreements). No weld repair. This material is RoHS 2 compliant.

Castle Metals

HEAT NUMBER 10054094
MECHANICAL ID _____
ITEM CODE 21246
LOT NUMBER _____
PO NUMBER 346729
RECEIPT DATE 8-10-15
SUPPLIER Kaiser
SPECIFICATION _____
LCS _____
COMMENT _____
APPROVED [Signature]

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Bennekamp, Quality Manager

John Bennekamp


Plant Serial: 210656

Kaiser Order Number: 705946

Line Item: 1

KAISER ALUMINUM FABRICATED PRODUCTS

Tennalum
309 Industrial Drive
Jackson, TN 38301
731-423-2811



CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER		CUSTOMER PART NUMBER		PRODUCT DESCRIPTION	
346729-1		21246		Cold Finished Round	
KAISER ORDER NUMBER	LINE ITEM	SHIP DATE		ALLOY	TEMPER
705946	1	08/03/2015		7075	T651
WEIGHT SHIPPED	QUANTITY	B/L NUMBER		DIAM/DAF/THKNS.	WIDTH
1967 lbs.	14 pcs.	38574		3.500 in.	0.000 in.
SHIP TO		SOLD TO			
A M Castle & Co 3400 No. Wolf Road Franklin Park, IL 60131 USA				A M Castle & Co 1420 Kensington Road Suite 220 Oak Brook, IL 60523 USA	

Test Code: 1000 AC

Actual Physical Properties

Lot Number	LONG. UTS ksi	LONG. YTS ksi	LONG. ELONG. %
10054094	90.7	72.5	16.0

Chemical Composition, WT. % (Aluminum Remainder)

	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	OTHERS EACH	OTHERS TOTAL	Lot
Actual	0.14	0.28	1.4	0.03	2.7	0.19	5.7	0.03			10054094
Max	0.40	0.50	2.0	0.20	2.9	0.28	6.1	0.20	0.05	0.15	
Min			1.2		2.1	0.13	5.1				

Specifications

Standard: ISO 9001, ASTM B211-12, AMS 4123B, AMS-QQ-A-223/9A, AMS 4123L Non-Standard:
A97075_02_R17

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Rennekamp, Quality Manager

Plant Serial: 219656

Kaiser Order Number: 705946

Line Item: 1



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No: 2764220-2

Ship From: A. M. Castle & Co. TORONTO - CASTLE METALS 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: DART AEROS. HAWKESBURY, O N, CAN 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 21-OCT-2015	F.O.B. ORIGIN	Freight Terms Prepaid		Carrier MANITOU LIN		BOL No 2764220-2	

Shipment Details Final Destination Branch - TOR

Order No 4099231	Line No 2	Item No 5062	Description 0.7500, 2.5000 FLAT 304, STAINLESS, HR ANN PICKLE, 132.0000-.156 .0000 SPECIFICATIONS: ASTM A276 Email P/s and certs to: clavoie@dartaero.com				
Purchase Order No 30112	Part Number		Ordered Qty 12.00 FT	Invoice Qty 12.2500 FT			
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX: HEAT #S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS							
Delivery No. 120218153	Mill VALBRUNA CORPORATION	Heat Number  2 0 2 8 0 0	Mech Id 1	PCS	Width (IN)	Length (IN) 147.0000	Shipped Qty(LBS) 82.0000

8015-10-26

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, require a proper license. Diversion contrary to US law is prohibited.

We hereby certify the material covered by this certificate conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material. No specific alterations (bearing a part of the description) have been made on the subject to examination. All claims for defective material are waived unless made in writing to A. M. Castle & Co. within 60 days of the shipment. Material cut to the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative

OCT 21 2015



These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4
Telephon number : 0039 (0) 444968211

Clienti / Kunden / Purchaser / Clients
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller / Manufacturer / Producer

Stato di fornitura: Hot rolled Descaled Annealed Hot rolled
Lieferungszustand: Delivery condition: delivery

Products

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER

Avviso di Spedizione: D-V114016855
Lieferanten-Exportkennung: L

Ordine nr: 38916 271712 CASTLE
Bestell-/Auftragsnummer

Tipo di Elaborazione: E+AOD
Erzeugnisbezeichnung: Erzeugnisbezeichnung

Certificato nr: MEST518942/2014/
Prüfung-Titel/VE-Num

Conferma ordine nr: E114002934
Werk Auftrags-Nr.

Marchio di Fabbrica:
Zeichen des Herstellers
Trade mark
Signe de l'usine productrice

Funzione del Collaudatore:
Service des Werkstätten / Inspektion
Inspector / Abnahm. Manager des F. Hersteller



Castle Metals

HEAT NUMBER 262800
MECHANICAL ID ---
ITEM NUMBER 5062
LOT NUMBER ---
PO NUMBER 271712
RECEIPT DATE 7-8-14
SUPPLIER Valbruna
SPECIFICATION ---
LCS ---
COMMENT ---
APPROVED [Signature]

Vicenza, 16/05/14

vicenza
Rizzotto M. R.

Il collaudatore di stabilimento: der Werkstättenverständiger / Works inspector / L'agent d'usine
M. Rizzotto

Pagina - 2 di 2

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004), 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4
Telephone number : 0039 (0) 444968211

Clienti / Kunden / Clients / Clients
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller / Fabricator / Producteur

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER

Avviso di Spedizione: D-VI14016855
Lernzettelnummer / Invoice No.

Ordine nr: 38916 271712 CASTLE
Bestell-Nr. / Order Confirmation

Tipo di Elaborazione: E+AOD
Erzeugnisgruppe / Beschaffungsprozess / Mode d'élaboration

Certificato nr: MEST518942/2014/
Prüfung / Test / Essai

Conferma ordine nr: E114002934
Werkzettel / Order Ref.

Marchio di Fabbrica:
Zeichen des Lieferanten
Trade mark
Signe de l'usine / producer

Punzione del Collaudatore
Stempel des Werkstoffverständigen
Inspector's stamp / Pointeur de l'inspecteur



Stato di fornitura: Hot rolled Descalped Annealed Hot rolled
Lieferzustand / Delivery status / Etat de livraison

Spedizione:
Anforderungen / Requests / Demands

3304-31 37 304 A
ASTM A262 2010. PRACTICE E

AMS-QQ-S-763 B 304 A
ASTM A276 2013 S30400 A

ASME SA479 2013 S30400 A (3)
ASTM A479 2013A S30400 A

(0) SECTION II P.T.A 2013 EDITION

Qualità: T-304 #5062
Werkstoff / Material

Marca: AISL
Legierung / alloying
Brand / marque

Tolleranza: ASTM A484-13a TABLE 5
Toleranz / Allowance / Tolerance

Punzonatura: 304
Formzeichen / Marking / Markierung

Pos. nr. Pos. nr. Item nr. Nr. de position	Oggetto Description Produit désigné Design du produit	Dimensioni - In Abmessungen Dimensions Dimension	Lunghezza - In Länge Length Longueur	Colata Schmelze Melt Craque	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Lot Lot Lot
0010	Flat	2,5000 x 0,7500	144 / 153	262800		2.454	326102160

TEST ALLO STATO DI FORNITURA

Test on delivery condition Prüfung auf Lieferzustand / product test à l'état de livraison / Probe sobre el material así como entregado

TEST	Prova / Probe Spannung / Tension Last / Force Probe / Load Masse / Weight Last / Force mm	°F	Probe Stempel Lot Markierung	Snervamento Streckgrenze Yield Point Rp 0.2% k.s.i.	Snervamento Streckgrenze Yield Point Rp 0.2% k.s.i.	Resistenza Zugfestigkeit Tensile Strength Rm k.s.i.	Allungamento Bruchdehnung Elongation E 4d %	Strizione Bruchdehnung Elongation FLA %	Resistenza Zugfestigkeit Tensile Strength Rm k.s.i.	Durezza Härte Rockwell HB
Valori richiesti: by order / per order / Required values Valeur de commande	min max			30		75 115	40	50		
A	12,5	58 L	4S			91	51	70		185

TEST	min	max
A Grain size for ASTM E112		6

14 : Legatura / Alloy 1-8 : Brand / Marke 3 : Tolleranza / Tolerance

Analisi chimica

Chemische Zusammensetzung / Chemical Analysis / Analyse chimique

Colata / Pour Schmelze / Craque	min max 0,020	1,00	2,00	18,00 20,00	1,00	1,00	0,00 0,50	0,045	0,030	0,100						
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	P %	S %	N %						
262800	0,020	0,39	1,54	18,33	0,59	0,42	8,13	0,031	0,024	0,100						

Annealing temperature: 1940°F for 1 h/water.

Intergranular corrosion test per ASTM A262 pract. E: OK.

Absence of cracks at 20 x magnification after bend test.

Material is OFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind E. Anlage OK
The material has been furnished in accordance with the requirements
Le matériel a été livré conforme aux exigences

Controllo anti-falsificazione: OK
Verwechslungsprüfung: erfolgreich / nach durchgeführt
Anti-forging testing performed: OK
Controlle anti-falsifica: OK

Controllo visivo e dimensionale, soddisfa le esigenze
Blickprüfung und Ausmessung ohne Beanstandung
Visual inspection and dimensional checks satisfactory
Controlle visuel et dimensionnel satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination
We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive (97/23/EC) Annex 1 s. 4.3 by TUEV and LLOYD'S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the

Vicenza, 16/05/14 VLC/003 (Mod. MCE7)	Il collaudatore di stabilimento / der Werkstoffverständiger / Works inspector / L'agent d'usage M. Rizzotto	Pagina: 1 di 2
---	--	----------------

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M 7075 T6 R 3.500
 DATE: 15-10-27

PO / BATCH NO.: M133450 / PO#30112

MATERIAL CERT REC'D: YES
 QUANTITY RECEIVED: 1 78
 QUANTITY INSPECTED: 1 78
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 3.500
 THICKNESS RECEIVED: 3.500
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

10054094

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK.
 RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>38 9-89</u> <u>DAS</u> DATE: <u>OCT 27 2019</u>	SIGNED OFF BY: _____ DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M133450
DATE: 15-10-27

PO / BATCH NO.: M30480.750-2.500
PO# 30112

MATERIAL CERT REC'D: Yes
QUANTITY RECEIVED: 12 P
QUANTITY INSPECTED: 12 P
QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.750X2.50
THICKNESS RECEIVED: 1.750X2.50
SHEET SIZE ORDERED: N/A
SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL	(Y) N	
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT MATERIAL	(Y) N	
CORRECT REF # TO LINK CERT	(X) N	262800
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>38</u>	<u>9</u>	SIGNED OFF BY: _____	
DATE: <u>OCT 27 2015</u>		DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO30112**

Purchase Order Date 10/14/2015

PO Print Date 10/14/2015

Page Number 1 of 2

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

PAID

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M7075T6R3.500 ✓	7075 RD bar 3.500 ✓	10/30/2015 Yes 10/30/2015		6.00 ✓ f	\$64.25	\$385.50

MATERIAL: 7075-T6 OR T651/T6510/T6511/T652/T62 ROUND BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4124/4186/4187 OR
PER AMS-QQ-A-200/11

Line Total: \$385.50

2	M304B0.750X2.500 ✓	304 BAR .750 X 2.50	10/30/2015 Yes 10/30/2015		12.00 ✓ f	\$18.35	\$220.20
---	--------------------	---------------------	---------------------------------	--	--------------	---------	----------

MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE
AS PER ASTM A276 OR ASTM A240

NOTE: AISI 303 NOT ACCEPTABLE

2/15-10-26

Line Total: \$220.20

Note:

10/14/2015



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO30112**

Purchase Order Date 10/14/2015

PO Print Date 10/14/2015

Page Number 2 of 2

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB Destination-Collect

Chantal Lavoie

3	M303B2.000X1.750	303 BAR 2" X 1.750"	10/30/2015	12.00	\$113.00	\$1,356.00
			Yes	f		
			10/30/2015			

MATERIAL: AISI 303 SS BAR AS PER ASTM A582
NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total: \$1,356.00

4	71401-45	PROCUREMENT QUALITY CLAUSES	10/30/2015	1.00	\$0.00	\$0.00
			No			
			10/30/2015			

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality document

Line Total: \$0.00

PO Total: \$1,961.70

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 10/14/2015